



Distributed exclusively in Australia by



Alpster Manual with Shimano Nexus Inter-5E



Alpster AutomatiQ with Enviolo HD CVT

RANGE  
**80km**

LOAD  
**170 kg**

KIDS  
**4**



## Specifications

Riders	150 to 200cm
Range	Up to 80km
Load capacity	170kg total, 100kg rear rack, 20kg front rack
Speed	25kph (max allowed in Australia)
Motor	Bosch CX CargoLine (85Nm)
Battery	Bosch 500Wh Battery - Li Ion - 36V
Gears	Shimano Nexus Inter-5E (Alpster Manual) / Enviolo HD 380% (Alpster AutomatiQ)
Tyres	Reflective - Anti-puncture protection liner
Stand	Custom dual leg - heavy duty
Hydraulic disc brakes	2 pistons (Alpster Manual) / 4 pistons (Alpster AutomatiQ)
Lights	Powerful integrated front and rear LEDs
Frame	Lightweight chromoly steel with lifetime warranty
Length	200cm
Weight	30kg
Accessories	More than 20 accessories



## The bike for the most demanding families

Daily, all weather,  
year long transport



### COMPACT & SPACIOUS



Up to **3** kids + groceries  
Easy parking & storing


### MULTI-MOTOR

**SHIMANO**



Internal gear hub  
High autonomy

### STABILITY & SAFETY



Low center of gravity  
**Strong** kickstand

### CUSTOMIZABLE



More than  
**20** accessories





Your bike43 is  
evolving with  
your family.

**BUILT FOR QUALITY  
MADE IN BELGIUM**

[www.bike43.com](http://www.bike43.com)



SPECIFICATIONS	Performance	Performance e-Shift	Alpster Manual	Alpster Continuous	Alpster AutomatiQ
Frame - One size (from 1,50m to 2,00m)	Acier Cr-Mo stiff and safe	Acier Cr-Mo stiff and safe	Acier Cr-Mo stiff and safe	Acier Cr-Mo stiff and safe	Acier Cr-Mo stiff and safe
Drive Unit	<b>Shimano E6100-CRG (60Nm)</b>	<b>Shimano E6100-CRG (60Nm)</b>	<b>Bosch Cargo CX Line (85 Nm)</b>	<b>Bosch Cargo CX Line (85 Nm)</b>	<b>Bosch Cargo CX Line (85 Nm)</b>
Battery - Li ION - 36v	500Wh (Dual battery ready)	500Wh (Dual battery ready)	500Wh	500Wh	500Wh
Transmission - gear hub	<b>Shimano Nexus Inter-5E</b>	<b>Shimano Nexus Inter-5E Di2</b>	<b>Shimano Nexus Inter-5E</b>	<b>Enviolo HD (380%)</b>	<b>Enviolo HD AutomatiQ (380%)</b>
Hydraulic disk brakes	2 pistons	2 pistons	2 pistons	4 pistons	4 pistons
Human Interface				0	0
<i>Stem</i>	Ergotec Adjustable	Ergotec Adjustable	Ergotec Adjustable	Ergotec Adjustable	Ergotec Adjustable
<i>Seat Post</i>	Ergotec	Ergotec	Télescopique Satori SORATA	Télescopique Satori SORATA	Télescopique Satori SORATA
<i>Handle Bar</i>	Ergotec	Ergotec	Ergotec	Ergotec	Ergotec
<i>Saddle Velo</i>	D2 Brown	D2 Brown	D2 Brown	D2 Brown	D2 Brown
<i>Grips Velo</i>	Ergonomic Brown	Ergonomic Brown	Ergonomic Brown	Ergonomic Brown	Ergonomic Brown
Tires	Reflective - Protection liner	Reflective - Protection liner	Reflective - Protection liner	Reflective - Protection liner	Reflective - Protection liner
Kickstand	Custom dual leg - heavy duty	Custom dual leg - heavy duty	Custom dual leg - heavy duty	Custom dual leg - heavy duty	Custom dual leg - heavy duty
Other					
Meters development per crankset turn	2.53 to 6.65m	2.53 to 6.65m	2.79 to 7.35m	2.09 to 7.96m	2.09 to 7.96m
Maximum payload [kg]	170	170	170	170	170
Maximum payload on the rear carrier [kg]	100	100	100	100	100
Maximum rider weight [kg]	100	100	100	100	100